


BSR X5M and X5H



A crystal mono cartridge which is suitable for playing stereo records. Supplied with carrier for centre hole fixing or standard $\frac{1}{2}$ in fixing.

Overall size: 28 x 15 x 11mm (excl tabs and lugs).
Fitted with a sapphire stylus.

	X5M	X5H
Output at 1cm/sec:	400mV	1V
Tracking weight:	3 to 6gm	5 to 9gm
Frequency response:	40Hz to 10kHz	
Recommended load:	2M Ω and 100pF	

	X5M	X5H
Stylus fitted:	(ST12) 78/LP changeover	(ST8)
Replacement styli:	ST12(SS)	ST8 (SS)
	ST14(DS)	ST9 (DS)
	ST15(DD)	ST10 (DD)

Order As **HR01B (Cartridge BSR X5M)**
HRO2C (Cartridge BSR X5H)

BSR SX6M and SX6H



A crystal stereo cartridge supplied with carrier for centre hole fixing or standard $\frac{1}{2}$ in fixing.

Overall size: 28 x 15 x 11mm (excl tabs and lugs)


Fitted with a sapphire stylus

	SX6M	SX6H
Output at 1cm/sec:	280mV	700mV
Tracking weight:	4 to 6gm	5 to 7gm
Frequency response:	40Hz to 10kHz	
Recommended load:	2M Ω and 100pF	
Stylus fitted:	SX6M (ST12) 78/LP changeover	SX6H (ST12)
Replacement styli:	ST12(SS) ST14(DS) ST15(DD)	

Order As HR04E (Cartridge BSR SX6M)
HR05F (Cartridge BSR SX6H)

Maker: COLLARO/RONETTE

GA67	BF40	A medium output plug-in stereo crystal cartridge for stereo or mono records. Output 180 mV. Frequency response up to 12 Kc/s. Tracking weight 5-7 grams
GA69	105	A triple-purpose turnover cartridge for standard, L.P. and stereo records. Output 250 mV. Frequency response up to 12 Kc/s. Tracking weight 3-6 grams



AG330

AG330	SM500/7	Magnetic cartridge with .0006 stylus. Range 10-20, 000 Hz. o/p 6 mV/5 cm/sec. Channel separation 25 db at 1000 Hz. A new cartridge from Ronette at a bargain price
AG330A	SM500/5	As above but with .0005 stylus
AG330B	SM500/E	As above but with elliptical stylus