≈ LAMPHOLDERS. ≈

A LAMPHOLDER is a device by which electrical connection is established between the Leads and the Lamp in a manner which allows the fixing or removal of the Lamp to be done easily. The connections of an Incandescent Lamp are so frail that they demand most gentle and careful handling, and it must be the object of a good Lampholder to make a thoroughly good contact between the fixture wires and the lamp without causing any great strain to be exercised on the latter. The lampholder should also be capable of being adapted for any kind of fitting. It should be sufficiently small as not to spoil the design of any particular bracket or pendant, and yet there should be sufficient metal and space inside to allow of easy and safe wiring. Under no condition must there be a possibility of the leads or flexible working loose and making contact between themselves or with the brass case of the holder. When used with pendants provision should be made for a good cord grip, as the terminals should not have to carry any weight, and a ring or other arrangement for carrying a shade, which saves not only the expense of a gallery, but adds considerably to the elegance and lightness of an Electrical Fitting. The Holders illustrated in the following pages will meet all these requirements. We have classified them into three distinct types:—

- 1. Standard Lampholders, for B.C. Lamps which make contact with the lamps by means of a bayonet joint.
- 2. Loop or Lug Lampholders, for B.L. Lamps, suitable for Lamps with protruding Platinum points or loops.
- 3. Edison "Universal" Holders, suitable for E.S. Lamps. In this case the Lamp Terminals are embedded in a socket which screws into an acorn shaped Lampholder to make contact.

ILLUSTRATIONS

 \mathbf{OF}

STANDARD LAMPHOLDERS.



A inside.





Z inside.



No. 3001. Plain Holder \dots 1/8 Miniature do. \dots 1/6



 $\begin{array}{cccc} & \text{No. 3002.} \\ & \text{Shade Carrier Holder} & \dots & \textbf{2/1} \end{array}$

do.




No. 3003. Shade Carrier Holder and Cord Grip ... 2/6



Miniature



No. 3018.



2/-

No. 3008. Switch Holder.

LAMPHOLDERS.

(Manufactured under License from the Edison-Swan Company.)

English "STANDARD" Lampholder.

These Holders are well and substantially made of Polished Brass, all being fitted with incombustible **China** Centres. We can recommend them as far superior to any others on the market. They are easily and quickly wired, all parts are interchangeable, the plunger contacts are perfect and independent of each other, and the springs, being enclosed in brass caps, are protected from rust and damp. They are very long, so as to ensure perfect contact.

We make two distinct kinds of Insides:-

- (1) **Z Inside.** Between the plungers is a bridge of china, which, at the end, is prolonged round the terminals in the form of a **Z**, so as to comply with the condition of our H.I. System, which in this case not only makes a short circuit between terminals and outer case an impossibility, but also stops arcing between the terminals, which often takes place, especially when using flexible cord, the single fine wires of which work gradually loose, and bridge across in ordinary holders devoid of such precautions.
- (>) A Inside. In some cases it may seem preferable to lead the wires from the back straight into the terminal, in which they are held fast by a side-screw; this type we are calling A inside.

FOR BALL FITTINGS to carry two, three or more Holders, see Fixtures Catalogue.

PRICES.

List No.	Description.						Price each.	Price for Export only.	
	ALL	FOR	BRASS	CAPPEI	LA	MPS.			
3001	Ordinary Brass Holder, 3 in. Thread							1/8	
3002	Do.	do.	$\mathbf{d}c$	with	Shade	Carrier		2,1	
3003 3004 3005	Do.	do.	with (Cord Grip a			rier 	2/6 1/8	
	Do.	do.	$\frac{1}{2}$ in.	Thread					
	Do.	do.	do	with	Shade	Carrier	•	2/1	
3006	· Do.	do.	5 in. 7	Thread		•••	•••	1/8	10 % less
3007	Do.	do.	do			Carrier		2/1	being
3008	Switch Lampholder, 3 in. Thread							4 /–	amount paid
3009	Do.	do.	do.	with S				$\frac{1}{4}/6$	for royalty
3010	Do.	do.	with Co	rd Grip and			r	$\mathbf{4/9}$	in thi
3012	Do.	do.	⅓ in. Th	read		•••		4 /-	country.
3013	Do.	do.	do.	with S	hade C	arrier	•••	4/6	
3014	Do.	do.	§ in. Th	read	•••			4 /–	
3015	Do.	do.	U	with S				4/6	
3018	Backplat	e attach	able to Hold	lers 3001,	3004	3006		5d. extra	

The above holders can be supplied Bronzed without increase in price.

Nickel or Silver Plated at -/6 each extra.

CENTRAL CONTACT HOLDERS ARE SUPPLIED AT THE SAME PRICE AS THE ORDINARY HOLDERS.